



ProSecure TBT window locking system
Concealed and visible hinges
High security as standard

Secured by Design



Police Preferred Specification



ProSecure TBT Window Locking System

with concealed and visible hinges

The ProSecure TBT window locking system is a Police Preferred Specification product. It is available in two versions - with visible or concealed hinges.

The systems jigless design is simple to install, with 100° sash opening for ease of fabrication. There are a wealth of features including an anti-blow back detail and it carries 130kg sash weight as standard.

The ProSecure TBT range has been independently tested to the latest European and British Standards both at IFT Rosenheim in Germany and at the Mila Test Centre to all of the required operational reliability, security and corrosion resistance standards.

The range has been security tested to PAS24: 2016, is Secured by Design and is backed with a market-leading 10 year guarantee.



Quality, not compromise.



Anti-blowback device automatically engages when in tilt position



Suited window furniture available



Easy to assemble corner hinges and adjustment point



High security locking as standard



Secured by Design



Police Preferred Specification

Security as Standard

Certified at Europe's largest, leading test house as well as in the UK to British Standards



ProSecure TBT window Locking System


with visible hinges



No.	Description	Application range by width	Application range by height	Part No.
1	Gear variable 0, L=250, 450-550	-	450-550	K1131-02-N03
1	Gear variable 1, L=450, 551-750	-	551-750	K1131-04-N03
1	Gear variable 2, L=930, 751-1230, 1 ML, security	-	751-1230	K1131-09-N03
1	Gear variable 3, L=1130, 950-1430, 1 ML, security	-	950-1430	K1131-11-N03
1	Gear variable 4, L=1410, 1231-1710, 2 ML, security	-	1231-1710	K1131-14-N03
1	Gear variable 5, L=1610, 1431-1910, 2 ML, security	-	1431-1910	K1131-16-N03
1	Gear variable 6, L=2090, 1911-2390, 3 ML, security	-	1911-2390	K1131-21-N03
2	Corner transmission 150x150, 2 ML, security	400-1280	450-2390	K2012-00-N03
2A	Narrow corner transmission 50x150, security	300-400	450-2390	K2006-00-N03
3A	Stay arm 1, tilt first, L=450, 400-600	400-600	-	K3014-05-N03
3A	Stay arm 2, tilt first, L=650, 601-800	601-800	-	K3014-07-N03
3A	Stay arm 3, tilt first, L=890, 801-1040, security	801-1040	-	K3024-09-N03
3A	Stay arm 4, tilt first, L=1130, 1041-1280, security	1041-1280	-	K3024-11-N03
4	Middle lock L=400, 2 ML, security	600-1000	600-1000	K4024-04-N03
4	Middle lock L=650, 2 ML, security	850-1250	850-1250	K4024-06-N03
4	Middle lock L=820, 2 ML, security	1251-1430	1251-1430	K4024-08-N03
4	Middle lock L=1130, 3 ML, security	-	1251-1730	K4024-11-N03
5	Middle lock extension 480 mm, security	-	1710-2210	K4025-05-N03
5	Middle lock extension 680 mm, security	-	2211-2390	K4025-07-N03
6	Extension lock for corner transmission L=480 mm, security, croppable	401-800	-	K4036-05-N03
6	Extension lock for corner transmission L=720 mm, security, croppable	801-1280	-	K4036-07-N03
7A	Locking plate security	-	-	***
7C	Locking plate, tilt first, left / right	-	-	***
8	Lifting plate	-	751-2390	***
9	Mishandling device with sash lifter	-	751-2390	A7001-00-N03
14	Rebate corner hinge	-	370-2390	A5009-**-R/L03
15A	Frame hinges, 130 kg in one set	-	370-2390	A5020-99-N03
16	Top sash hinge	-	370-2390	K5001-**-N03
17	Hinges covers set	-	370-2390	A7098-99-N0*
21	Extension lock 240 mm, security	-	-	K4023-02-N03
* = Colour Related				
** = 9mm or 13mm Hinge				
*** = Profile Related				

ProSecure TBT window Locking System

with concealed hinges



No.	Description	Application range by width	Application range by height	Part No.
1	Gear variable 0, L=250, 450-550	-	450-550	K1131-02-N03
1	Gear variable 1, L=450, 551-750	-	551-750	K1131-04-N03
1	Gear variable 2, L=930, 751-1230, 1 ML, security	-	751-1230	K1131-09-N03
1	Gear variable 3, L=1130, 950-1430, 1 ML, security	-	950-1430	K1131-11-N03
1	Gear variable 4, L=1410, 1231-1710, 2 ML, security	-	1231-1710	K1131-14-N03
1	Gear variable 5, L=1610, 1431-1910, 2 ML, security	-	1431-1910	K1131-16-N03
1	Gear variable 6, L=2090, 1911-2390, 3 ML, security	-	1911-2390	K1131-21-N03
2	Corner transmission 150x150, 2 ML, security	400-1280	450-2390	K2012-00-N03
2A	Narrow corner transmission 50x150, security	380-480	450-2390	K2006-00-N03
3	K3 Concealed Stay Arm Connecting Plate L=565	380-680	-	K3030-06-R/L03
3	K3 Concealed Stay Arm Connecting Plate L=685	681-800	-	K3030-07-R/L03
3	K3 Concealed Stay Arm Connecting Plate L=925	801-1040	-	K3030-09-R/L03
3	K3 Concealed Stay Arm Connecting Plate L=1165	1041-1280	-	K3030-12-R/L03
3A	Concealed Tilt First Stay Arm, PVC 13mm	380-800	-	A3005-02-R/L03
3A	Concealed Tilt First Stay Arm, PVC 13mm	801-1040	-	A3005-03-R/L03
3A	Concealed Tilt First Stay Arm, PVC 13mm	1041-1280	-	A3005-04-R/L03
4	Middle lock L=400, 2 ML, security	-	600-1000	K4024-04-N03
4	Middle lock L=650, 2 ML, security	-	850-1250	K4024-06-N03
4	Middle lock L=820, 2 ML, security	-	1251-1430	K4024-08-N03
4	Middle lock L=1130, 3 ML, security	-	1251-1730	K4024-11-N03
5	Middle lock extension 480 mm, security	-	1710-2210	K4025-05-N03
5	Middle lock extension 680 mm, security	-	2211-2390	K4025-07-N03
6	Extension lock for corner transmission L=480 mm, security, croppable	401-800	-	K4036-05-N03
6	Extension lock for corner transmission L=720 mm, security, croppable	801-1280	-	K4036-07-N03
7A	Locking plate security	-	-	***
7B	Locking plate, tilt first, left / right	-	-	***
8	Lifting plate	-	751-2390	***
9	Mishandling device with sash lifter	-	751-2390	A7001-00-N03
10	Concealed Bottom Hinge, PVC 13mm	-	-	A5025-13-R/L03
11	Concealed Bottom Sash Hinge 13mm	-	-	A5027-13-R/L03
17	Concealed Hinge Packer	-	-	***
12	Extension lock 240 mm, security	-	-	K4023-02-N03
12	Extension lock 240mm, no cam	-	-	K4038-02-N03
	* = Colour Related			
	** = 9mm or 13mm Hinge			
	*** = Profile Related			

Secured by Design



Police Preferred Specification



Quality & service | It's in our DNA



Working with Experts

Mila has partnered with award-winning European hardware manufacturer AXOR to develop the ProSecure TBT system which offers enhanced security as standard.

AXOR is an established hardware manufacturer based in Ukraine with a purpose built factory which is ISO9001 quality accredited.

Mila is their exclusive distributor in the UK.

Contact Mila

T. 01327 312 400 | E. sales@mila.co.uk | W. mila.co.uk

Secured by Design



Police Preferred Specification

